

ARM926EJS 32-bit Microprocessor

N9H30 Non-OS BSP 修訂歷史

The information described in this document is the exclusive intellectual property of Nuvoton Technology Corporation and shall not be reproduced without permission from Nuvoton.

Nuvoton is providing this document only for reference purposes of N9H30 based system design. Nuvoton assumes no responsibility for errors or omissions.

All data and specifications are subject to change without notice.

For additional information or questions, please contact: Nuvoton Technology Corporation.

www.nuvoton.com

Revision 1.08.000 (Released 2025-09-30)

1. Boot：新增 eMMC/NAND/SPI 開機載入器映像檔。
2. 2D：修正 ge2dSpriteBlit_Screen 函式中遺漏的觸發。
3. I2S：新增 I2S_MP3Player 範例，並修正 diskio 問題。
4. USB_D：新增 VBUS 偵測中斷設定。

Revision 1.07.000 (Released 2024-02-27)

1. 修復 C++ 範例的編譯警告
2. 新增 LCD 驅動程式
3. 更新 LCD 範例代碼以啟用中斷
4. 修復 usbh_msc 驅動程式的 get_max_lun() 錯誤
5. 新增 D-cache 維護 API
6. 修正其他錯誤

Revision 1.06.000 (Released 2022-12-27)

1. 更新 PWM 驅動及範例以支援同步成對輸出
2. 支援 GCC C++ 專案並新增一個範例。
3. 修正其他錯誤

Revision 1.05.000 (Released 2022-03-07)

1. 移除 emWin 程式範例與函式庫。
2. 修改 USB_D 初始化流程以避免訊號誤偵測
3. 修正幾個關於 USB Host 庫的錯誤及問題
4. 修復 GCC 編譯產生的警告訊息
5. FMI: 修正 bbt 內存初始值以及 NAND 錯誤 oob 大小的問題
6. 修正其他錯誤。

Revision 1.04.000 (Released 2020-09-08)

1. 驅動程式中加入 Apache-2.0 授權條款宣告。
2. 更新 emWin 至 V6.10f.4 版。
3. 修正錯誤。

Revision 1.03.000 (Released 2019-12-18)

1. 設定 DMA 緩衝區與 cache line 對齊，避免資料損毀。
2. 更新 emWin 至 V5.48k.8 版。
3. 修正錯誤。

Revision 1.02.000 (Released 2019-6-3)

1. 增加 Eclipse 支援。
2. 修正錯誤。

Revision 1.01.002 (Released 2018-12-24)

1. 更新 N9H30 emWin Quick Start Guide。

2. 更新 2D 驅動程式.

Revision 1.01.001 (Released 2018-10-29)

1. 更新 emWin 支援 2D 加速及硬體 JPEG 解碼.
2. 更新 NuWriter 驅動程式 (WinUSB4NuVCOM.exe) 以支援 Windows 10.

Revision 1.01.000 (Released 2018-7-9)

1. 增加 N9H30F 支援.
2. 修正錯誤.

Revision 1.00.000 (Released 2018-1-31)

1. 初版發布.

Important Notice

Nuvoton Products are neither intended nor warranted for usage in systems or equipment, any malfunction or failure of which may cause loss of human life, bodily injury or severe property damage. Such applications are deemed, "Insecure Usage".

Insecure usage includes, but is not limited to: equipment for surgical implementation, atomic energy control instruments, airplane or spaceship instruments, the control or operation of dynamic, brake or safety systems designed for vehicular use, traffic signal instruments, all types of safety devices, and other applications intended to support or sustain life.

All Insecure Usage shall be made at customer's risk, and in the event that third parties lay claims to Nuvoton as a result of customer's Insecure Usage, customer shall indemnify the damages and liabilities thus incurred by Nuvoton.

*Please note that all data and specifications are subject to change without notice.
All the trademarks of products and companies mentioned in this datasheet belong to their respective owners.*